dabl®Educational Trust

Declaration of Equivalence Form

DECLARATION OF BLOOD PRESSURE MEASURING DEVICE EQUIVALENCE 2013

A SIGNED COPY WILL BE POSTED ON THE www.dableducational.org WEBSITE

SECTION A - Please complete all items.

I Bill Huang, a Director of AVITA Corporation,
Name of a Company Director Company name

hereby state that there are no differences that will affect blood pressure measuring accuracy between the

Maker^a Beurer Beurer GmbH, Söflinger Strasse 218, 89077 Ulm/ Germany

Manufacturer^b Globalcare Address A7th Building 39 Middle Industrial Main Road European

Industrial Zone, Xiaolan Town, Zhongshan City Guangdong

Province 52815 CHINA

Brand^c Beurer Model^d BM28

Blood pressure measuring device for which validation is claimed. If alternative model names are used, include all.

blood pressure measuring device and the validated blood pressure measuring device

Maker^a 8AVITA Corporation Address 9F, NO.78, SEC.1, KWANG-FU RD., SAN -Chung District, New

Taipei City 24158 Taiwan R.O.C.

Manufacturer^b AVITA Corporation Address 9F, NO.78, SEC.1, KWANG-FU RD., SAN -Chung District, New

Taipei City 24158 Taiwan R.O.C.

Brand^c AViTA Model^d BPM63S

Existing validated blood pressure measuring device.

which has previously passed the ESH-2010 protocol, the results of which were published as follows:

Kang Y-Y, Zeng W-F, Liu M, Li Y, and Wang J-G. Validation of the AVITA BPM63S upper arm blood pressure monitor for home blood pressure monitoring according to the European Society of Hypertension International Protocol revision 2010. Blood Pressure M

Full reference

The only differences between the devices involve the following components:

Tick one box for each item 1–18.

Part I	1	Algorithm for Oscillometric Measurements	Yes □	No ⊠	N/A ^e \square
	2	Algorithm for Auscultatory Measurements	Yes 🗌	No □	N/A ^f ⊠
	3	Artefact/Error Detection	Yes 🗌	No ⊠	
	4	Microphone(s)	Yes 🗌	No 🗌	$N/A^f oxtimes$
	5	Pressure Transducer	Yes 🗌	No 🖂	
	6	Cuffs or Bladders	Yes 🗌	No 🖂	
	7	Inflation Mechanism	Yes 🗌	No 🖂	
	8	Deflation Mechanism	Yes 🗌	No 🖂	
Part II	9	Model Name or Number	Yes ⊠	No 🗌	
	10	Casing	Yes 🖂	No 🗌	
	11	Display	Yes 🖂	No 🗌	
	12	Carrying/Mounting Facilities	Yes 🖂	No 🗌	
	13	Software other than Algorithm	Yes 🖂	No 🗌	
	14	Memory Capacity/Number of stored measurements	Yes 🖂	No 🗌	
	15	Printing Facilities	Yes 🗌	No 🗌	$N/A^g \boxtimes$
	16	Communication Facilities	Yes 🗌	No 🗌	$N/A^g \boxtimes$
	17	Power Supply	Yes 🗌	No 🖂	
	18	Other Facilities	Yes ⊠	No 🗌	N/A ^g \square

An explanation of each item ticked "Yes" must be included in Section B or on a separate sheet.

Notes: a Provide the name and address of the actual maker of the device

- Provide the name and address of the legal manufacturer of the device, even if it is the same as that of the maker.
- c Provide the name of the brand under which it is sold, even if it is the same as that of the manufacturer or maker.
- d Provide the model name. If alternative or internal model names are used, include all. Each device must be uniquely identifiable.
- e Only tick N/A (Not Applicable) if neither device measures blood pressure using the oscillometric method.
- f Only tick N/A (Not Applicable) if neither device measures blood pressure using the auscultatory method.
- g Only tick N/A (Not Applicable) if neither device provides printing, communication or other facilities, as appropriate.

dableEducational Trust

SECTION B

Address

Declaration of Equivalence Form

differences between the devices must be described. **SECTION C** Please check that the following are included with the application A manual for the validated device A manual for the device for which equivalence is being sought \Box An image of the validated device An image of the device for which equivalence is being sought An image of the screen layout of validated device* An image of the screen layout of the device for which equivalence is being sought* * Screen layouts shown complete, and without obscuring labels or lines, in manuals need not be included separately. **SECTION D** Complete all items, bar signatures and seal, online and print. Sign and seal it then send the original to our address below. Please email a signed copy of this form, together with the manuals and images for both devices, to info@dableducational.org. Signature of Director Company Stamp/Seal Name Date 2016.03.15 Signature of Witness Name Jonathan Chen

An explanation for each item, 1 to 18, ticked "Yes" in Section A must be provided here or in an attached document. All

9F, NO.78, SEC.1, KWANG-FU RD., SAN -Chung District, New Taipei City 24158 Taiwan R.O.C.

Form DET7 130102 Page 2/2

Device Equivalence Evaluation Form

Comparison of the BEURER BM28 with the AVITA BPM63S

Devices	BEURER BM28	AVITA BPM63S
Pictures	\$ \$\frac{1}{2} \frac{1}{2} \fr	Wellox Good State Control C
Display		AVG HIGH NORMAL NORMAL
Validation		ESH 2010
Category	Arm Type Blood Pressure Monitor	Arm Type Blood Pressure Monitor
Device 1 Criteria	Dimension 134 * 103 * 60 mm (W * H *D) Weight 245,5 g(Excluding batteries) Cuff Size 22-42cm	Dimension 113 * 140 * 57 mm (W * H *D) Weight 275g(Excluding batteries) Cuff Size 22-33cm

dabl®Educational Trust

Device Equivalence Comparison Form

Device 2 Criteria	Printing Artwork logo, gift box and manual is different from AViTA BPM63S for different functions	Printing Artwork logo, gift box and manual is different for different functions
Same Criteria	Measurement	Measurement
	Accuracy	Accuracy
	Blood Pressure Accuracy ± 3 mmHg	Blood Pressure Accuracy ± 3 mmHg
	Pulse Accuracy ± 4%	Pulse Accuracy ± 4%
	Method	Method
	Oscillometric	Oscillometric
	Ranges	Ranges
	Cuff pressure 0 -300 mmHg	Cuff pressure 0 -300 mmHg
	Systolic 50 mmHg – 280 mmHg	Systolic 50 mmHg – 280 mmHg
	Diastolic 30 mmHg – 200 mmHg	Diastolic 30 mmHg – 200 mmHg
	Inflation	Inflation
	Automatic inflation by internal pump	Automatic inflation by internal pump
	Deflation	Deflation
	Automatic speed deflation system	Automatic speed deflation system
	Cuffs (Please state sizes and materials used)	Cuffs(Please state sizes and materials used)
	22-42 cm	22-33 cm
	Bladder dimension: 120x232mm	Bladder dimension: 120x232mm
	Sensors	Sensors
	US-9111-006-S	US-9111-006-S
	Measurement Records	Measurement Records
	4*30 times with date and time	1*60 times with date and time
	Measurements other than Blood Pressure	Measurements other than Blood Pressure
	Pulse rate	Pulse rate
	Buttons/Switches	Buttons/Switches
	Power	Power (START (ROMER ROME) (1997)
	START/POWER Button (on / off)	START/POWER Button (on / off)
	Measurement Records	Measurement Records

© 2016 dabl®Educational Trust Limited
Page 2 of 5

Memory Recall Button - MEM

Function

Date and Time Set Button - SET

+/- BUTTONS TO ROLLS THE MEMORIES AND SETTING TIME

Analysis

N/A

Event Marking

N/A

Communication

N/A

Display/Symbols/Indicators

Preparation

N/A

Measurement Procedure

Inflation symbol

Deflation symbol

Heartbeat symbol during deflation

Irregular Heartbeat symbol

Post Measurement

Systolic blood pressure

Diastolic blood pressure

Pulse rate

WHO indicator

Measurement Records

Memory recall number

Date and Time

Date and Time

Power

Low Battery detection symbol

Memory Recall Button - MEM

Function

Date and Time Set Button - SET

Mode (Alarm) Button - Mode

Analysis N/A

Event Marking

N/A

Communication

N/A

Display/Symbols/Indicators

Preparation

N/A

Measurement Procedure

Inflation symbol

Deflation symbol

Heartbeat symbol during deflation

Irregular Heartbeat symbol

Post Measurement

Systolic blood pressure

Diastolic blood pressure

Pulse rate

WHO indicator

Measurement Records

Memory recall number

Date and Time

Date and Time

Power

Low Battery detection symbol

© 2016 dabl®Educational Trust Limited Page 3 of 5

dabl®Educational Trust

Device Equivalence Comparison Form

Function Function Average Average Alarm Alarm Communication Communication N/A N/A Features **Features** N/A N/A Not described Not described Algorithms Averages and Differences Algorithms Average morning values of the last seven days measurements Averages and Differences between 5:00AM and 9:00AM Average of the last 3 measurements Average evening values of the last seven days measurements between 6:00PM and 8:00PM Diagnostic Diagnostic N/A N/A **Functions Functions** N/A N/A Communication Communication N/A N/A Casing Casing Display Display LCD LCD **Ports** Ports **Cuff Port Cuff Port** DC Jack *AC adapter is optional Power Power 4 * AA Batteries 4 * AA Batteries Features **Features** N/A N/A

© 2016 dabl®Educational Trust Limited Page 4 of 5

dabl®Educational Trust

Device Equivalence Comparison Form

Comparable Criteria					
· · · · · · · · · · · · · · · · · · ·					
Comments					
Recommendation	RECOMMENDED				
Date	3 JUNE 2016				

© 2016 dabl®Educational Trust Limited
Page 5 of 5